## **AMENDMENTS TO THE CLAIMS**

This Listing Of Claims will replace all prior versions, and listings, of the claims in the application.

## **Listing of the Claims:**

Claim 1 (Previously Presented): A process for the preparation of a compound of formula:

$$R^{1}$$
 $R^{2}$ 
 $R^{2}$ 

and/or an addition salt of a proton acid, wherein R<sup>1</sup> represents C<sub>1-8</sub>-alkyl or phenyl, and R<sup>2</sup> represents alkyl, cycloalkyl, aryl or aralkyl, each aryl or aralkyl being optionally further substituted with alkyl, alkoxy and/or halogen, which process comprises the following steps:

a) reacting a mixture comprising:

(i) a methyl ketone of formula:

wherein R1 is as defined above, and

(ii) a compound of formula:

$$H_2N-R^2$$
 (V)

and/or an addition salt of proton acid, wherein R<sup>2</sup> is as defined above, and
(iii) formaldehyde or a source of formaldehyde selected from the group consisting of
formaldehyde in aqueous solution, 1,3,5-trioxane, paraformaldehyde and mixtures
thereof, in the presence of

a solvent selected from the group consisting of water, aliphatic alcohols, cycloaliphatic alcohols and mixtures thereof, and

optionally a proton acid

to provide a β-keto amine of formula:

and/or an addition salt of a proton acid, and

b) reducing the carbonyl group of  $\beta$ -keto amine to afford a compound of formula I, and/or an addition salt of a proton acid

wherein the step a) is carried out at a pressure above 1.5 bar.

Claim 2 (Previously Presented): The process of claim 1 wherein R<sup>1</sup> is linear or branched C<sub>1-8</sub>-alkyl.

Claim 3 (Previously Presented): The process of claim 1 wherein  $R^2$  is selected from the group consisting of linear or branched  $C_{1-8}$ -alkyl,  $C_{3-8}$ -cycloalkyl, phenyl, naphthyl, furanyl, benzofuranyl, thienyl, benzo[b]thienyl and aralkyl, wherein the alkyl moiety of the aralkyl residue is linear  $C_{1-4}$ -alkyl, and the aryl moiety is selected from the group consisting of phenyl, naphthyl, furanyl, benzofuranyl, thienyl and benzo[b]thienyl, each aryl or aralkyl being optionally substituted with halogen, linear or branched  $C_{1-4}$ -alkyl, linear or branched  $C_{1-4}$ -alkoxy,  $C_{3-6}$ -cycloalkyl,  $CF_3$ ,  $C_2F_5$ ,  $CCF_3$  or  $CC_2F_5$ .

Claim 4 (Previously Presented): The process of claim 1, wherein the compound of formula V is present in an amount at least equimolar to that of the compound of formula IV.

Claim 5 (Previously Presented): The process of claim 1, wherein the proton acid is present in step a) and is a carboxylic acid or an inorganic acid.

Claim 6 (Previously Presentd): The process of claim 1, wherein aliphatic and cycloaliphatic alcohols are selected from the group selected of linear or branched aliphatic C<sub>1-12</sub>-alcohols, cycloaliphatic C<sub>5-8</sub>-alcohols, di- and/or triethylene glycols and mono C<sub>1-4</sub>-alkyl or acetyl derivatives thereof, each of said alcohols containing 1 to 3 hydroxy groups.

Claim 7 (Previously Presented): The process of claim 6, wherein the alcohol is selected from the group consisting of methanol, ethanol, propanol, isopropyl alcohol, butanol, isobutanol, tert-butanol, 1-pentanol, 2-pentanol, 3-pentanol, 1-hexanol, 2-hexanol, cyclopentanol, cyclohexanol, 1,2-ethanediol, 1,2-propanediol, 1,2-butanediol, 2,3-butanediol, 1,4-butanediol, 1,2,3-pro-panetriol, 1,2,6-hexanetriol, diethylene glycol, diethylene glycol monomethyl ether, diethylene glycol monobutyl ether, diethylene glycol monoacetate, triethylene glycol, triethylene glycol monomethyl ether, triethylene glycol monoacetate.

Claim 8 (Previously Presented): The process of claim 1, wherein the pressure during reaction step a) is in the range of 1.5 to 10 bar.

Claims 9 to 20 (Cancelled).

Claim 21 (Previously Presented): The process of claim 2 wherein  $R^2$  is linear or branched  $C_{1-8}$ -alkyl.

Claim 22 (Previously Presented): The process of claim 3, wherein the compound of formula V is present in an amount at least equimolar to that of the compound of formula IV.

Claim 23 (Previously Presented): The process of claim 4, wherein a proton acid is present in step a) and is a carboxylic acid or an inorganic acid.

Claim 24 (Previously Presented): The process of claim 5, wherein aliphatic and cycloaliphatic alcohols are selected from the group selected of linear or branched aliphatic C<sub>1-12</sub>-alcohols, cycloaliphatic C<sub>5-8</sub>-alcohols, di- and/or triethylene glycols and mono C<sub>1-4</sub>-alkyl or acetyl derivatives thereof, each of said alcohols containing 1 to 3 hydroxy groups.

Claim 25 (Previously Presented): The process of claim 7, wherein the pressure during reaction step a) is in the range of 1.5 to 10 bar.

Claims 26 to 30 (Cancelled).

Claim 31 (Previously Presented): The process of claim 8, wherein the pressure during reaction step a) is in the range of 1.5 to 5 bar.

Claim 32 (Previously Presented): The process of claim 25, wherein the pressure during reaction step a) is in the range of 1.5. to 5 bar.

Claim 33 (Previously Presented): The process of Claim 1, wherein R<sup>1</sup> is phenyl.

Claim 34 (Currently Amended): A process for the preparation of a compound of formula:

$$R^1$$
 $R^2$ 
 $R^2$ 

and/or an addition salt of a proton acid, wherein R<sup>1</sup> represents linear or branched C<sub>1-8</sub>-alkyl, and The process of Claim 1, R<sup>2</sup> is represents phenyl, which process comprises the following steps:

a) reacting a mixture comprising:

## (i) a methyl ketone of formula:

wherein R1 is as defined above, and

(ii) a compound of formula:

$$H_2N-R^2$$
 (V)

and/or an addition salt of proton acid, wherein R2 is defined above, and

(iii) formaldehyde or a source of formaldehyde seected from the group consiting of formaldehyde in aqueous solution, 1,3,5-trioxane, paraformaldehtde and mixtures thereof, in the presence of

a solvent selected from the group consisting of water, aliphatic alcohols, cycloaliphatic alcohols and mixtures thereof, and

optionally a proton acid

to provide a ß-keto amine of formula:

$$0 \xrightarrow{R^1} R^2$$
II

and/or an addition salt of a proton acid, and

b) reducing the carbonyl group of ß-keto amine to afford a compound of formula I, and/or an addition salt of a proton acid,

wherein the step a) is carried out at a pressure above 1.5 bar.

Claim 35 (Previously Presented): The process of claim 1, wherein a proton acid is present, and the proton acid is selected from the group consisting of formic acid, acetic acid, propionic acid, oxalic acid, malonic acid, benzoic acid, HF, HCI, HBr, HI, H<sub>2</sub>SO<sub>4</sub>, H<sub>3</sub>PO<sub>4</sub>, mono alkali malonate, alkali hydrogensulfates, alkali hydrogenphosphates and alkali hydrogencarbonates.

Claim 36 (Previously Presented): The process of claim 4, wherein a proton acid is present, and the proton acid is selected from the group consisting of formic acid, acetic acid, propionic acid, oxalic acid, malonic acid, benzoic acid, HF, HCI, HBr, HI, H<sub>2</sub>SO<sub>4</sub>, H<sub>3</sub>PO<sub>4</sub>, mono alkali malonate, alkali hydrogensulfates, alkali hydrogenphosphates and alkali hydrogencarbonates.